

PRODUCT DESCRIPTION

- Line of light in a shallow profile and flat cover
- Possibility of bending the extrusion
- Wide assortment of mounting accessories

FINISH :

Silver anodized 

Fill empty fields

Product nr.	
Fixture type	
Company	
Job name	
Date	

TECHNICAL SPECIFICATION

Application

- construction of lighting fixtures for main or decorative lighting

Assembly

- suitable for mounting on flat surfaces, suspending from **DP** fasteners, for attaching to mounting systems and for fixing with mounting springs, to ARMSTRONG ceilings with the **AM-24** mounting bracket
- compatible with a group of extrusions dedicated to drywall panels. It is designed for mounting in the **TEKNIK-ZM** and **TEKUS** extrusions using **TEKNIK** clips

Number of clips:


Extrusion length	39.4"(1 m)	78.75"(2 m)
Number of TEKNIK clips	8	18

Additional information


- can be mounted in a groove made using a mounting extrusion
- guidelines for bending the GIZA-LL extrusion: minimum internal radius 30cm (light directed towards the centre of the circle), minimum external radius 19,7" (50cm) (light directed outside the circle)
- a line of light obtainable with the LIGER-22 cover and a LED strip with a minimum of 40 LEDs/foot (120 LEDs/meter)
- GIZA-LL is designed for two or one 0.39" (10 mm) wide LED strip

AVAILABLE LENGTHS


Ref. nr.	surface finish	available lengths
C0758ANODA_1	Silver anodized	39.4"
C0758ANODA_2	Silver anodized	78.75"

TECHNICAL DRAWING

RELATED EXTRUSIONS




TEKNIK-ZM
Extrusion
Ref: C0399NA




TEKUS Extrusion
Ref: B6638V1NA

RELATED PRODUCTS


COVERS




G-K Cover semi-transparent
Ref: 00415



G-L Cover semi-transparent
Ref: 17008




HS-22 Cover clear
Ref: 17022




LIGER-22 Cover frosted
Ref: 17032


110°




G-K Cover frosted
Ref: 17007



G-L Cover frosted
Ref: 00413




LIGER-22 black
Cover
Ref: 17044




HS-22 Cover frosted
Ref: 17011

END CAPS



GIZA-LL End cap
Ref: 24281

ACCESSORIES



ZM EYE UCHO
Hanger
Ref: 42512



BZP Head
Ref: 42213



BZP-ZZ Head
conductive
Ref: 42215




TEKNIK Clip
Ref: 24003



PUSZ-LIN-ZM
Fastener
Ref: 42256



PUSZ-PRET-ZM
Fastener
Ref: 42250



AM-24 Mounting
bracket
Ref: 24235




GIP Mounting
bracket
Ref: 24143




REGIP-UV
Adjustable
Mounting bracket
Ref: 24271




DP-ZZ Fastener
Ref: 00651




GP Spring
Ref: 00293




ZM-120
Connector
Ref: 42728




ZM-135
Connector
Ref: 42720




ZM-180
Connector
Ref: 42717



ZM-90 Connector
Ref: 42716




ZM-PION-135
Connector
Ref: 42719



ZM-PION-90
Connector
Ref: 42718



8,8x1,2 Gland
Ref: 00802



ZM Block
Ref: 42520